

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L2	12	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L3	3914	(record\$1 near3 match \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L4	2576	record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L5	14	(record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)) and (record\$1 near3 compar\$4 near3 (database\$1 or data \$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L6	1	(record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)) and (record\$1 near3 compar\$4 near3 (database\$1 or data \$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L13	49	(variable\$1 with (compar\$4 near3 (data \$1bases or tables or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L14	6	(variable\$1 near3 (compar\$4 near3 (data \$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data \$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L19	3590	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L20	4680	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L21	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L22	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L23	0	L20 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L24	0	L20 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L25	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L26	274	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L28	124	on\$1line with yellow with page\$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L29	119	on\$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L31	35	online with yellow with pages and (@pd < "20040324") and "707"/\$.ccs.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L32	124	on\$1line with (yellow adj page\$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L33	9	online with yellow with pages and (@pd < "20040324") and "707"/3.ccs.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L35	9	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L36	3	((merg\$3 or fusion\$3) with criteria with (data \$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L37	1934	(merg\$3 with criteria with data\$1bases or data\$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L38	3	(merg\$3 with criteria with (data\$1bases or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L39	366	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L40	31	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L41	1	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L42	10	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria) and (merg\$3 with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L43	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria) and ((rank\$3 or importance) with (variables or parameters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L44	4	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L45	0	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L46	117	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L47	1093	amsbury.xp. and wayne.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L48	148	sana.xp. and al-hashemi.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L49	114	sana.xa. and al-hashemi.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L50	1	(rank\$3 near3 (parameters or variables))with merg \$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L51	71	(rank\$3 near3 (parameters or variables))with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L52	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank \$3 near3 (parameters or variables))with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L53	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank \$3 near3 (parameters or variables)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L54	9	((rank\$3 near3 (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L55	26	((rank\$3 with (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L56	4	((rank\$3 with (parameters or variables))with database) and @pd < "20031021" and merg \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L57	3	((rank\$3 with (parameters or variables))with importance) and @pd < "20031021" and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L58	28	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L59	10	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L60	1	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L61	2	"6976062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L62	2	"20020191014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L63	2	"6421777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
S1	9	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:22
S2	9	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:23
S3	3475	(record\$1 near3 match \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:36



S4	2278	record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:37
S5	4	(record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)) and (record\$1 near3 compar\$4 near3 (database\$1 or data \$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:38
S6	1	(record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)) and (record\$1 near3 compar\$4 near3 (database\$1 or data \$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:41
S7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:50
S8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:05

S11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S13	49	(variable\$1 with (compar\$4 near3 (data \$1bases or tables or data\$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:38
S14	6	(variable\$1 near3 (compar\$4 near3 (data \$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:51
S15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data \$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:54
S16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 10:16
S17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 10:20
S18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 11:12
S19	3027	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:51
S20	3909	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52

S21	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:52
S22	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S23	0	S20 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S24	0	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:53
S25	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:53
S26	207	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:36
S27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:39
S28	124	on\$1line with yellow with page\$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S29	119	on\$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20

S31	34	online with yellow with pages and (@pd < "20040324") and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S32	124	on\$1line with (yellow adj page\$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S33	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:28
S34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:48
S35	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:09
S36	3	((merg\$3 or fusion\$3) with criteria with (data \$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:27
S37	1934	(merg\$3 with criteria with data\$1bases or data\$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:29
S38	3	(merg\$3 with criteria with (data\$1bases or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:30

S39	366	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:31
S40	31	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32
S41	1	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32
S42	10	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria) and (merg\$3 with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:37
S43	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with criteria) and ((rank\$3 or importance) with (variables or parameters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:42
S44	4	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and (merg \$3 with parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:09
S45	0	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14

S46	117	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14
S47	1093	amsbury.xp. and wayne.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:19
S48	129	sana.xp. and al-hashemi.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:27
S49	114	sana.xa. and al-hashemi.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:28
S50	1	(rank\$3 near3 (parameters or variables))with merg \$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:29
S51	68	(rank\$3 near3 (parameters or variables))with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:30
S52	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank \$3 near3 (parameters or variables))with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31
S53	0	(merg\$3 with (data \$1bases or data \$1sets)) and @pd < "20031021" and ((rank \$3 near3 (parameters or variables)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31

S54	9	((rank\$3 near3 (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:32
S55	26	((rank\$3 with (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27
S56	4	((rank\$3 with (parameters or variables))with database) and @pd < "20031021" and merg \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27
S57	3	((rank\$3 with (parameters or variables))with importance) and @pd < "20031021" and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:33
S58	28	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S59	10	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S60	1	((rank\$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database and merg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S61	2	"6976062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 10:06

S62	2	"20020191014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 11:47
S63	2	"6421777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 11:54

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L64	0	fusing records in the first and second sets of match candidates based on probabilities associated with the records	USPAT; UPAD	AND	OFF	2010/01/03 15:10
L65	12	fusing records first second sets match candidates based probabilities associated records	USPAT; UPAD	AND	OFF	2010/01/03 15:11

**1/ 3/ 2010 3:12:12 PM****C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10576800.wsp**